

To: [Nonresponsive based on revised scope]@kineticoswva.com]
From: Soscia, Gina[/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=4FB83E4708CC41669DCBEE2052C54B72-NAPPI, GINA]
Sent: Fri 3/11/2022 6:34:38 PM (UTC)
Subject: RE: Kinetico maintenance in Nathalie

Great, thank you! I will let the resident know. Please let me know if you need anything else.

-Gina



Gina Soscia

Community Involvement Branch Chief
Office of Public Affairs
US EPA Mid-Atlantic Region
Phone 215-814-5538
Email soscia.gina@epa.gov



From: [Nonresponsive based on revised scope]@kineticoswva.com>
Sent: Friday, March 11, 2022 1:02 PM
To: Soscia, Gina <Soscia.Gina@epa.gov>
Subject: RE: Kinetico maintenance in Nathalie

I can schedule the 17086 LP Bailey Highway residence on Monday the 28th at 10am.

Thank you,

[Nonresponsive based on revised scope]



home water systems

1171 Cheatham Park Dr.
Bedford, VA 24523
540-586-9336



----- Original Message -----

Subject: RE: Kinetico maintenance in Nathalie

From: "Soscia, Gina" <Soscia.Gina@epa.gov>

Date: Fri, March 11, 2022 11:58 am

To: Nonresponsive based on revised scope t@kineticoswva.com>

Just received confirmation from the resident at 17086 LP Bailey Highway that the AM hours of Monday, 3/28 or Tuesday, 3/29 work best. Please advise which day we can provide maintenance and I will make them aware as well as Chris Wagner to provide funding. Thank you!

From: Nonresponsive based on revised scope t@kineticoswva.com>

Sent: Friday, March 11, 2022 11:44 AM


To: Soscia, Gina <Soscia.Gina@epa.gov>

Subject: RE: Kinetico maintenance in Nathalie

Yes, the last week of this month still works for us.

Thank you!

Nonresponsive based on revised scope



**1171 Cheatham Park Dr.
Bedford, VA 24523
540-586-9336**



----- Original Message -----

Subject: RE: Kinetico maintenance in Nathalie

From: "Soscia, Gina" <Soscia.Gina@epa.gov>

Date: Fri, March 11, 2022 11:39 am

To: Nonresponsive based on revised scope t@kineticoswva.com>

Hello, thank you! I spoke with Chris Wagner and she informed me that she will handle the other property owners that require sampling and maintenance.

Please just confirm that the last week of the month still works for maintenance at 17086 LP Bailey Highway and if so, I will confirm with the resident.

Thank you!



Gina Soscia

Community Involvement Branch Chief
Office of Public Affairs
US EPA Mid-Atlantic Region
Phone 215-814-5538
Email soscia.gina@epa.gov




From: Nonresponsive based on revised scope kineticoswva.com>
Sent: Friday, March 11, 2022 10:55 AM
To: Soscia, Gina <Soscia.Gina@epa.gov>
Subject: RE: Kinetico maintenance in Nathalie

Gina,

We have availability the last week of this month for all the property owners. Let us know what works for you if you would like to schedule everyone on 2 consecutive days.

Thank you,

Nonresponsive based on revised scope



**1171 Cheatham Park Dr.
Bedford, VA 24523
540-586-9336**



----- Original Message -----

Subject: Kinetico maintenance in Nathalie

From: "Soscia, Gina" <Soscia.Gina@epa.gov>

Date: Fri, March 11, 2022 10:13 am

To: Nonresponsive based on revised scope kineticoswva.com Nonresponsive based on revised scope kineticoswva.com>

Nonresponsive based on revised scope hope all is well. I will be helping out with this site as Meg Broughton is no longer with our Region. She transferred to the Denver Office in November 2021.

I have a heads up from the resident at 17086 LP Bailey Highway that they are ready to schedule a date for their system maintenance. Can you give me a sense of when you might be able to perform this maintenance so I can work with the resident on an agreed-upon date?

I am confirming with Chris that she would like my support to set up appointments with the other four property owners as well.

Thanks so much for your help and please let me know if you have any questions.

Talk to you soon!
-Gina



Gina Soscia

Community Involvement Branch Chief
Office of Public Affairs
US EPA Mid-Atlantic Region
Phone 215-814-5538
Email soscia.gina@epa.gov

